


Air Pressure Regulator/R010,R011

Standard type

- Compact and large flow.
- Easy to use, convenient to repair.
- Very easy to operate, user-friendly pressure setting.



JIS Symbol




Specifications

Model No.	Unit	R010-02, 03, 04	R011-02, 03, 04
Port size		Rc1/4, 3/8, 1/2	Rc1/4, 3/8, 1/2
Maximum operating pressure	MPa[kgf/cm ²]	1 (10)	
Proof pressure	MPa[kgf/cm ²]	1.5 (15)	
Operating temperature range	°C	5~65	
Set pressure range	MPa[kgf/cm ²]	0.02~0.75 (0.2~7.5)	
Weight	kg	0.35	0.41

Flow characteristics





• Please refer to symbol specification table and option table.


Option

Model No.		Mark	R010-02, 03, 04	R011-02, 03, 04
Set pressure range	Standard pressure (0.02~0.75MPa)	Without mark	⊙	
Backflow-enabled feature	Standard	Without mark	⊙	
	Backflow-enabled	B	○	
Pressure gauge		G	○	
Bracket	Standard	B	○	
	Mounting panel	A	○	
Air flow direction	Left to Right	Without mark	⊙	
	Right to Left	R	○	


⊙ Standard ○ Option

R-010-02, 03, 04

(Unit : mm)




Bracket dimension



R011-02, 03, 04

(Unit : mm)



Bracket dimension

